

160 Gallon 3000# WP Class VI 7-Station PLC Accumulator



10001



BUILDING DIMENSIONS & WEIGHT

Length	30' 6"	9.33 m
Width	10'	3.05 m
Height	9' 6"	2.89 m
Weight	39,815 lbs	18,060 kgs

ACCUMULATOR SPECIFICATIONS

Manufacturer:	Control Technology Inc.
Operating Size:	160 US Gallons
Classification:	Class VI 7 Station API 16-D Certified
Maximum Accumulator Pressure:	3000 PSI / 20,685 kPa
Recommended Manifold Pressure:	1500 PSI / 10,500 kPa
Operating System:	Electric / Hydraulic PLC
Precharge Volume:	(16) 11 US Gal. / (16) 41.6 L
EUB Precharge Volume:	160 US Gal. / 605.67 L
Usable Volume @ 3000 PSI:	80 US Gallons
@ 20,685 kPa:	302.83 Litres
Accumulator Precharge:	1000 PSI / 7000 kPa
N2 Backup:	(6) 13.21 US Gal. @ 2200 PSI (6) 50 L @ 15,168 kPa

Dual Remote Panels

ELECTRICAL FEATURES

480 Volt, UPS Battery Back Up, (2) 150' Data Cables
 Pump #1 Cord -100 Amp, 4 wire, 4 pole Appleton x 100'
 Pump #2 Cord -60 Amp, 4 wire, 4 pole Appleton x 100'

HOSE FEATURES

Hose Length- 100' Hydraulic + 35' Fire Guard
 5 Stations - 3/4" 3500 PSI
 1 Station - 3/4" 7200 PSI
 1 Station - 1" 3000 PSI

PUMP FEATURES

<u>Pump #1</u>	Cat	Model	3560
		Flow Rate	15 GPM

<u>Pump #2</u>	Cat	Model	3560
		Flow Rate	15 GPM

(3) Back Up Air Pumps	Model	AP31334
SN# 1065130-8	Flow Rate	4.0 GPM
SN# 1065131-17		
SN# 1065131-19		

SUPPLEMENTARY SUPPLIES

- (1) Nitrogen Pre-charge Kit
- (2) Pump Belts



Circle T Service & Rental Ltd.

8012 Edgar Industrial Green, Red Deer, Alberta T4P 3S2
 403.342.6004
 circletrentals.com